

INDEX MAPS.

T. 17 N., R. 2 E., 2nd Mer.



T. 18 N., R. 2 E., 2nd Mer.



☞ The figures on the lines refer to the page.

Township No. 17 North, Range No. 2 East 2d Mer Ind.a

Township Lines.

Ch. Lks. South Boundary.

East on the S. Boundary of Sec. 31

12.00 a creek 30 lks. wide course S.

15.20 a Sycamore 4 in. dia.

40.00 set q. sec. post from which
a Beech 7 in. dia. bears S 56 W 14 lks. dist.
a Sugar 7 " " " N 38 E 14 " "

40.90 a Poplar 15 in. dia.

80.00 set post cor. of sec. 31 & 32 from which
a Beech 12 in. dia. bears N 55 E 33 lks. dist.
a Hickory 15 " " " S 25 W 10 " "
Level land. Timber Beech, Oak & Ulp. Spice

East on the S. Boundary of Sec. 32

10.00 a W. Oak 18 in. dia.

40.00 set q. sec. post from which
a Sugar 7 in. dia. bears S 83 W 19 lks. dist.
a Beech 7 " " " N 62 E 12 " "

52.00 an Ash 20 " "

80.00 set post cor. of sec. 32 & 33 from which
a Beech 12 in. dia. bears S 45 E 3 lks. dist.
a Do 8 " " " N 26 W 18 " "
Soil good 2d rate, land & timber as before.

East on the S. Boundary of Sec. 33

17.75 a Sugar 20 in. dia.

40.00 set q. sec. post from which
a Sugar 18 in. dia. bears N 72 W 27 lks. dist.
a Do 18 " " " S 23 E 30 " "

42.70 a creek 100 lks. wide course S.

62.59 a Sycamore 40 in. dia.

80.00 set post cor. of sec. 33 & 34 from which
a Buckeye 8 in. dia. bears S 35 W 13 lks. dist.
a Walnut 15 " " " N 19 W 8 " "
Level land, rich soil, timber Walnut & Sugar

T. 17 N., R. 2, E. 2d. Mer. Ind.a

Chs. Lks.

East on the S. Boundary of Sec. 34

11.00 a Beech 12 in. dia.

40.00 set g. sec. post from which
a Beech 13 in. dia. bears N 10 W 10 lks. dist. &
a Sugar 6 " " " S 26 W 33 " "

47.00 a W. Oak 30 " "

80.00 set post cor. of sec. 34 & 35 from which
an Elm 18 in. dia. bears S 77 W 16 lks. dist. &
a Do 15 " " " N 60 E 27 " "
Land Ir. as last described.

East on the S. Boundary of Sec. 35

14.80 a W. Oak 60 in. dia.

40.00 set g. sec. post from which
a Sugar 8 in. dia. bears S 45 W 15 lks. dist. &
a Do 9 " " " N 59 E 11 " "

58.70 a Walnut 24 in. dia.

80.00 set post cor. of sec. 35 & 36 from which
a Beech 14 in. dia. bears S 23 W 12 lks. dist. &
a Sugar 10 " " " N 33 E 19 " "
Good farming land, Timber Oak, Sugar &c.
Ulgr. Spice

East on the S. Boundary of Sec. 36

26.00 a Beech 14 in. dia.

40.00 set g. sec. post from which
an Oak 16 in. dia. bears N 47 W 15 lks. dist. &
a Sugar 10 " " " S 43 E 28 " "

53.20 a Brook 10 lks. wide course SE

64.00 a Creek 30 " " " S

80.00 set post cor. of T. 17 N., Rs. 2 & 3 E. from which
a Beech 14 in. dia. bears N 62 E 27 lks. dist. &
a Do 12 " " " S 47 E 22 " "
Land Ir. same as last described.

East Boundary. Var. 5° 35'. E.

T. 17 N., R. 2 E. 2d Mer. Indx.

Ch. Lks.	
North	on the E. Boundary of Sec. 36
14.78	a Sugar 14 in. dia.
29.14	a Brook 10 lks. wide runs SW
40.00	set q. sec. post from which
	a ——— 15 in. dia. bears N 13 E 11 lks. dist.
	a Do 15 " " " S 20 W 10 " "
48.95	a W. Oak 24 " "
65.88	a B. Oak 36 " "
80.00	set post cor. of sec. 25 & 36 from which
	a Hickory 12 in. dia. bears N 25 E 16 lks. dist.
	a Beech 10 " " " S 25 W 36 " "
	Good farming land. Timber Oak, Beech, Hickory &c. Ulp. Spice

---

North	on the E. Boundary of Sec. 25
18.18	a W. Walnut 18 in. dia.
35.81	a Beech 12 in. dia.
40.00	set q. sec. post from which
	a Beech 6 in. dia. bears N 70 W 7 lks. dist.
	a Hickory 4 " " " S 65 E 11 " "
53.31	an Iron Beech 4 in. dia.
72.75	a Brook 8 lks. wide running SW
80.00	set post cor. of sec. 24 & 25 from which
	a Beech 14 in. dia. bears S 56 E 12 lks. dist.
	a Do 6 " " " N 82 W 37 " "
	Rich land, timber Beech, Ash, Sugar &c. Ulp. Spice &c.

North	on the E. Boundary of Sec. 24
12.49	a Beech 6 in. dia.
30.05	a Do 8 " "
40.00	set q. sec. post from which
	a Hornbeam 5 in. dia. bears N 88 W 15 lks. dist.
	a Beech 10 " " " S 68 E 16 " "
55.54	a Beech 10 " "
80.00	set post cor. of sec. 13 & 24 from which

T. 17 N., R. 2 E. 2d. Mer. Ind.a

Chs. Stks.

a Hornbeam 6 in. dia. bears N 22 E 21 lks. dist. frs
a Hickory 12 " " " S 21 W 12 " "
Rich land. Timber Oak, Beech & Hickory &c.
Ulp. Spice &c.

North on the E. Boundary of Sec. 13

33.03 a W. Oak 15 in. dia.

40.00 set q. sec. post from which
a W. Oak 14 in. dia bears N 72 W 5 lks. dist frs
a Beech 16 " " " S 79 E 22 " "

51.50 an Ash 15 " "

80.00 set post cor. of sec.s 12 & 13 from which
a Beech 15 in. dia. bears N 18 E 51 lks. dist frs
a Walnut 30 " " " S 10 W 16 " "
Land 2nd rate, timber Oak, Beech &c. Ulp.
Ironwood, Spice &c.

North on the E. Boundary of Sec. 12

14.45 an Ash 14 in. dia.

40.00 set q. sec. post from which
a Buckeye 10 in. dia bears N 35 W 17 lks. dist frs
an Elm 18 " " " S 55 E 35 " "

70.00 a Sugar 12 " "

80.00 set post cor. of sec.s 1 & 12 from which
a Sugar 30 in. dia. bears S 56 W 16 lks. dist frs
a Hornbeam 5 " " " N 72 E 16 " "
Land 2nd rate. Timber Oak, Beech & Sugar.
Ulp. Ironwood, Spice &c.

North on the E. Boundary of Sec. 1

30.02 a Sugar 14 in. dia.

40.00 set q. sec. post from which
a Sugar 12 in. dia. bears N 14 E 14 lks. dist frs
a W. Oak 20 " " " S 40 W 24 " "

53.95 an Ash 15 " "

79.50 set post cor. of Ts. 17 & 18 N., Rs. 2 & 3 E. from which

T. 17 N., R. 2 E. 2. Mer. Ind.

Chs. Lks.

a Hornbeam 5 in. dia. bears S 64 E 11 lks. dist. &
a Beech 12 " " " N 80 W 32 " "
Land Slate. Timber Ash, Oak, Beech &c.
Ulp. Ironwood, Spice &c.

North Boundary.

West — on the S. Boundary of Sec. 36, T 18 N, R 2 E.

40.00 — set g. sec. post from which
a Sugar 30 in. dia. bears N 10 W 12 lks. dist. &
a Hornbeam 6 " " " S 68 E 22 " "

80.00 — set post cor. of sect. 35 & 36 from which
an Elm 10 in. dia. bears N 4 E 19 lks. dist. &
a Do 24 " " " S 71 W 19 " "

West — on the S. Boundary of Sec. 35, T 18 N, R 2 E

40.00 — set g. sec. post from which
a Sugar 10 in. dia. bears N 66 E 10 lks. dist. &
a Poplar 30 " " " S 41 W 13 " "

80.00 — set post cor. of sect. 34 & 35 from which
a Sugar 10 in. dia. bears N 68 E 22 lks. dist. &
a Walnut 24 " " " S 68 W 20 " "

West — on the S. Boundary of Sec. 34, T 18 N, R 2 E

40.00 — set g. sec. post from which
a Beech 16 in. dia. bears N 34 E 12 lks. dist. &
a Do 9 " " " S 64 W 18 " "

80.00 — set post cor. of sect. 33 & 34 from which
an Ironwood 9 in. dia. bears N 34 E 4 lks. dist. &
a Hornbeam 6 " " " S 22 E 16 " "

West — on the S. Boundary of Sec. 33, T 18 N, R 2 E

40.00 — set g. sec. post from which
a Beech 14 in. dia. bears S 64 W 19 lks. dist. &
a Do 12 " " " S 84 E 26 " "

80.00 — set post cor. of sect. 32 & 33 from which
an Ash 12 in. dia. bears N 85 W 10 lks. dist. &

T. 17 N., R. 2 E. 2d. Mer. Ind.

Chs. Lks.	
	an Ash 10 in. dia. bears S 62 E 23 lks. dist.
West	on the S. Boundary of Sec. 32, T 18 N, R 2 E
40.00	set qr. sec. post from which
	a Sugar 24 in. dia. bears S 60 E 14 lks. dist. &
	a Beech 18 " " " N 44 W 36 " "
80.00	set post cen. of sec. 31 & 32 from which
	an Elm 20 in. dia. bears S 26 W 2 lks. dist. &
	a Maple 18 " " " N 10 W 26 " "
West	on the S. Boundary of Sec. 31, T 18 N, R 2 E
40.00	set qr. sec. post from which
	a W. Oak 30 in. dia. bears S 22 W 25 lks. dist. &
	a Beech 12 " " " N 35 E 29 " "
79.40	Intersect W. Boundary at the Township corner.
	(Description of land &c. omitted throughout)
	December 1. 1819
	West Boundary. Var. 6° 16' E
North	on the E. Boundary of Sec. 36, T 17 N, R 1 E
0.20	a Brook 15 lks. wide course E
20.88	a Hickory 14 in. dia.
40.00	set qr. sec. post from which
	a Hornbeam 8 in. dia. bears S 28 W 9 lks. dist. &
	an Ash 4 " " " N 44 E 9 " "
66.19	a Hickory 12 " "
80.00	set post cor. of sec. 25 & 36 from which
	a Beech 12 in. dia. bears S 75 E 22 lks. dist. &
	an Oak 22 " " " N 52 W 18 " "
	Over level land, Timber Beech, Oak, Hickory,
	Ulm. Spice
North	on the E. Boundary of Sec. 25, T 17 N, R 1 E
23.30	a W. Oak 28 in. dia.
40.00	set qr. sec. post from which
	an Oak 15 in. dia. bears S 4 W 17 lks. dist. &

T. 17 N., R. 2 E. 2d Mer. Ind.

Chs. Lks.	
	an Ash 7 in. dia. bears N 36 E 16 lks. dist. & 55.77 a W. Oak 24 " " 80.00 set post cor. of sec. 24 & 25 from which an Elm 16 in. dia. bears N 74 E 17 lks. dist. & a Ac 8 " " " S 67 W 16 " " Land & timber same as last described

---

North on the E. Boundary of Sec. 24, T 17 N, R 1 E

20.41	a W. Oak 30 in. dia.
40.00	set q. sec. post from which a Beech 8 in. dia. bears S 25 W 21 lks. dist. & a Ac 15 " " " N 47 E 11 " "
66.55	a Sycamore 30 in. dia.
80.00	set post cor. of sec. 13 & 24 from which an Elm 20 in. dia. bears S 10 E 32 lks. dist. & an Ash 8 " " " N 10 E 21 " " Wet land, timber same as last described

---

North on the E. Boundary of Sec. 13, T 17 N, R 1 E

25.28	a Poplar 20 in. dia.
40.00	set q. sec. post from which a Hornbeam 8 in. dia. bears S 46 W 14 lks. dist. & an Oak 30 " " " N 44 W 12 " "
80.00	set post cor. of sec. 12 & 13 from which a Sugar 12 in. dia. bears N 83 E 16 lks. dist. & an Ash 13 " " " N 71 E 20 " " Land &c. same as before described

---

North on the E. Boundary of Sec. 12, T 17 N, R 1 E

18.26	a W. Oak 40 in. dia.
40.00	set q. sec. post from which an Ash 14 in. dia. bears S 78 W 19 lks. dist. (No other Bearing tree)
55.70	a Walnut 30 in. dia.
80.00	set post cor. of sec. 1 & 12 from which a Sycamore 30 in. dia. bears S 20 E 18 lks. dist. &

T. 17 N., R. 2 E. 2d Mer. Ind.

Blk Ck.	a Beech 14 in. dia. bears N 25 E 39 lks. dist. Land Cr. as before described.
North	on the E. Boundary of Sec. 1, T. 17 N., R. 1 E.
40.00	Set g. sec. post from which a Hickory 14 in. dia. bears S 30 W 20 lks. dist. & an Oak 24 " " " N 30 E 23 " "
80.47	Set post cor. of T. 17 & 18 N., R. 1 & 2 E. from which a Sugar 12 in. dia. bears S 52 E 44 lks. dist. & a Beech 10 " " " N 18 W 29 " " Land Cr. as last described. October 29, 1819 John Mc. Donald Deputy Surveyor.

Subdivision.

North	between Sec. 35 & 36
25.08	a Sugar 18 in. dia.
40.00	Set g. sec. post from which an Elm 12 in. dia. bears N 41 E 41 lks. dist. & a Beech 10 " " " S 16 W 23 " "
75.21	a Hickory 12 " "
80.00	Set post cor. of Sec. 25, 26, 35 & 36 from which an Ash 14 in. dia. bears N 28 W 14 lks. dist. & a Beech 6 " " " S 61 E 40 " " Land Cr. Stat. Timber Beech, Oak, Hickory &c.
East	on Random between Sec. 25 & 36
40.00	Set temp. g. sec. post
80.75	Intersect E. Boundary 35 lks. N. of post— Land Cr. Stat. & Level. Timber Oak, Ash &c.
West	Corrected between Sec. 25 & 36
40.37½	Set g. sec. post at aver. dist. from which a Hornbeam 10 in. dia. bears N 60 E 18 lks. dist. & a Do 3 " " " S 30 W 17 " "
80.75	to sec. cor.

T. 17 N., R. 2 E. 2d. Mer. Indn.

Lks. Chs.

North between Sec. 25 & 26

11.45 a B. Oak 30 in. dia.

40.00 Set g. sec. post from which
an Ironwood 8 in. dia. bears N 61 W 5 lks. dist. S
a Buckeye 6 " " " S 44 W 21 " "

57.31 a Beech 24 " "

80.00 Set post cor. of sec. 23, 24, 25 & 26 from which
a Beech 16 in. dia. bears N 43 W 20 lks. dist. S
a Ash 24 " " " S 80 E 47 " "
Land 2d rate. Beech, Oak, Sugar, Hickory &c.

East on Random between Sec. 24 & 25

40.00 Set temp. g. sec. post

68.70 a Stream 5 lks. wide course SE

80.90 Intersect E. Boundary 30 lks. N. of post—
Land level & 2d rate, timber as before

West Corrected between Sec. 24 & 25

40.45 Set g. sec. post at aver. dist. from which
an Ash 7 in. dia. bears S 19 W 14 lks. dist. S
a Beech 4 " " " N 70 E 15 " "

80.90 to sec. cor.

North between Sec. 23 & 24

8.50 a Poplar 36 in. dia.

40.00 Set g. sec. post from which
a Beech 16 in. dia. bears S 60 E 9 lks. dist. S
an Ash 18 " " " S 85 W 31 " "

53.50 a B. Walnut 18 in. dia.

80.00 Set post cor. of sec. 13, 14, 23 & 24 from which
a W. Oak 16 in. dia. bears N 40 E 18 lks. dist. S
a Hickory 12 " " N 52 W 11 " "
Land 2d rate, timber as before described,

East on Random between Sec. 13 & 24

40.00 Set temp. g. sec. post

T. 17 N., R. 2 E. 2. Mer. Ind.a

Chs. Lks.	
80.95	Intersect E. Boundary 5 lks. S. of post—
	Land level & 2d rate, timber as before noted
West	**Corrected between Sec. 13 & 24**
40.47	Set g. sec. post at aver. dist. from which
	a Beech 8 in. dia. bears N 39 E 18 lks. dist. &
	a Do — " " " S 17 W 22 " "
80.95	to sec. cor.
North	**between Sec. 13 & 14**
13.26	a Beech 14 in. dia.
40.00	Set g. sec. post from which
	a B. Walnut 20 in. dia. bears N 69 W 27 lks. dist. &
	a Sugar 20 " " " S 69 E 11 " "
58.40	a Beech 14 " "
80.00	Set post cor. of sec. 11, 12, 13 & 14 from which
	a Beech 12 in. dia. bears N 66 E 25 lks. dist. &
	an Elm 12 " " " S 56 W 10 " "
	Land level & 2d rate, timber as before noted.
	June 28. 1821
East	**on Random between Sec. 12 & 13**
40.00	Set temp. g. sec. post
81.00	Intersect E. Boundary 5 lks. S. of post—
	Land level 2d rate &c.
West	**Corrected between Sec. 12 & 13**
40.50	Set g. sec. post at aver. dist. from which
	an Ash 12 in. dia. bears S 50 W 22 lks. dist. &
	a Do 14 " " " N 84 E 25 " "
81.00	to sec. cor.
North	**between Sec. 11 & 12**
14.05	a Beech 24 in. dia.
39.75	a Stream 3 lks. wide course W
40.00	Set g. sec. post from which

T. 17 N., R. 2 E. 2d. Mer. Ind.

Chs.	Lks.	
		an Ash 7 in. dia. bears N 82 E 9 lks. dist.
		a Hornbeam 8 " " " S 41 W 13 " "
75.	80	an Ash 36 " "
80.	00	Set post cor. of Sec. 1, 2, 11 & 12 from which
		a Beech 12 in. dia. bears N 43 E 19 lks. dist.
		a Sugar 6 " " " S 2 E 17 " "
		Land 2d. rate. Beech, Oak, Hickory & brushy
		with weeds.

East on Random between Sec. 1 & 12

40.	00	Set temp. q. sec. post
81.	40	Intersect E. Boundary 8 lks. S. of post —
		Land 2d. rate, timber as before

West Corrected between Sec. 1 & 12

40.	70	Set q. sec. post at aver. dist. from which
		a W. Oak 16 in. dia. bears S 20 W 4 lks. dist.
		a Sugar 10 " " " N 7 W 28 " "
81.	40	to sec. cor.

North between Sec. 1 & 2

4.	50	a Stream 5 lks. wide runs SW
32.	00	an Ash 14 in. dia.
37.	00	a Stream 50 lks. wide runs SW
40.	00	Set q. sec. post from which
		a Beech 3 in. dia. bears N 15 E 14 lks. dist.
		a Do 18 " " " S 31 E 21 " "
53.	52	a Beech 12 " "
80.	00	Intersect N. Boundary 32 lks. E. of post —
		Set post at intersection cor. of Sec. 1 & 2 from which
		an Elm 10 in. dia. bears S 37 W 35 lks. dist.
		a Buckeye 6 " " " N 60 E 19 " "
		Land 2d. rate.

North between Sec. 34 & 35 —

23.	08	a Beech 12 in. dia.

T. 17 N., R. 2 E. 2d Mer. Ind.a

Chs. Lks.	
40.00	Set q. sec. post from which a Beech 10 in. diam bears N 28 W 16 lks. dist. a Do 12 " " " S 14 E 12 " "
65.70	a Sugar 12 " "
80.00	Set post cor. of Sec. 26, 27, 34 & 35 from which a Beech 14 in. diam bears N 39 W 25 lks. dist. a Do 18 " " " S 80 E 28 " " Land 2d rate, Beech, Oak &c.
East	on Random between Sec. 26 & 35
40.00	Set temp. q. sec. post
80.60	Intersect N. & S. line 90 lks. S. of post— Land 2d rate
West	Corrected between Sec. 26 & 35
40.30	Set q. sec. post at aver. dist. from which an Ash 18 in. diam bears S 1 W 28 lks. dist. a Beech 10 " " " N 9 E 22 " "
80.60	to Sec. cor.
North	between Sec. 26 & 27
14.00	a Stream 10 lks. wide course S W
30.10	a Sugar 10 in. dia.
40.00	Set q. sec. post from which a Beech 15 in. diam bears N 28 W 10 lks. dist. a Do 12 " " " S 31 E 26 " "
51.90	an Elm 36 " "
80.00	Set post cor. of Sec. 26, 27, 22 & 23 from which a Beech 12 in. diam bears N 27 W 22 lks. dist. a Sugar 8 " " " S 28 E 32 " " Land 2d rate, Beech, Oak &c.
East	on Random between Sec. 23 & 26
40.00	Set temp. q. sec. post
80.60	Intersect N. & S. line at post— Land 2d rate, Beech &c.

T. 17 N., R. 2 E. 2d Mer. Ind.

Chs.	Lks.	
West		Corrected between Sec. 23 & 26
40.	30	set q. sec. post at aver. dist. from which
		a Poplar 30 in. dia. bears N 35 W 24 lks. dist.
		a Beech 12 " " " S 35 E 9 " "
80.	00	to sec. cor. June 29, 1821

North		between Sec. 22 & 23
5.	50	a Stream 5 lks. wide course SW
17.	00	a Hickory 14 in. dia.
40.	00	set q. sec. post from which
		a Beech 8 in. dia. bears N 64 E 5 lks. dist.
		a Hickory 18 " " " S 26 W 24 " "
49.	26	an Ash 12 " "
80.	00	set post cor. of Sec. 14, 15, 22 & 23 from which
		a Buckeye 10 in. dia. bears N 67 E 25 lks. dist.
		a Sugar 20 " " " S 42 W 25 " "
		Land level & 2d rate

East		on Random between Sec. 14 & 23
40.	00	set temp. q. sec. post
80.	25	Intersect N & S. line 8 lks. N. of post—
		Land 2d rate

West		Corrected between Sec. 14 & 23
40.	12½	set q. sec. post at aver. dist. from which
		a Beech 12 in. dia. bears N 68 W 28 lks. dist.
		a Do 10 " " " S 36 E 10 " "
80.	25	to sec. cor.

North		between Sec. 14 & 15
12.	61	a Beech 30 in. dia.
34.	50	Eagle Creek 50 lks. wide course SW
40.	00	set q. sec. post from which
		a Willow 10 in. dia. bears S 1 E 28 lks. dist.
		a Do 3 " " " N 1 E 16 " "
43.	00	Same Stream course SE

T. 17 N., R. 2 E. 2d Mer. Ind.a

Chs.	Lks.	
60.	00	Same Stream came SW
68.	50	Do " SE
80.	00	Set post cor. of sec. 10, 11, 14 & 15 from which an Elm 10 in. dia. bears N 25 E 5 lks. dist. & a Hackberry 8 " " " S 24 W 9 " " Land 1st rate, Beech, Sugar &c.
East		on Random between Sec. 11 & 14
40.	00	Set temp. q. sec. post
80.	50	Intersect N & S. line 10 lks. S. of post — Land 2d rate
West		Corrected between Sec. 11 & 14
40.	25	Set q. sec. post at aver. dist. from which a Beech 12 in. dia. bears N 30 W 15 lks. dist. & a Gum 10 " " " S 27 E 21 " "
80.	50	to sec. cor.
North		between Sec. 10 & 11
6.	50	Eagle Creek came SW
18.	20	a Sugar 24 in. dia.
40.	00	Set q. sec. post from which an Elm 10 in. dia. bears N 44 W 18 lks. dist. & a Buckeye 3 " " " S 47 E 8 " "
55.	00	a Spring branch came SE
74.	90	a Sugar 18 in. dia.
80.	00	Set post cor. of sec. 2, 3, 10 & 11 from which a Beech 6 in. dia. bears N 82 E 20 lks. dist. & an Elm 6 " " " S 72 W 5 " " Land 1st rate, Sugar, Walnut, Buckeye, Beech &c.
East		on Random between Sec. 2 & 11
40.	00	Set temp. q. sec. post
53.	50	a Stream 50 lks. wide came S.
80.	50	Intersect N & S. line 40 lks. S. of post —

T. 17 N., R. 2 E. 2. Mer. Ind.

Chs.	Lks.	(Description of land &c. omitted)
		West Corrected between Sec.s 2 & 11
40.	25	Set g. sec. post at aver. dist. from which an Ironwood 4 ins. dia. bears N 11 W 15 lks. dist.s, a Beech 12 " " " S 30 W 38 " "
80.	50	to sec. cor.
		North between Sec.s 2 & 3
10.	00	a W. Oak 18 in. dia.
40.	00	Set g. sec. post from which a Beech 10 in. dia. bears N 18 E 21 lks. dist.s, an Iron.d 4 " " " S 32 W 4 " "
62.	00	a Sugar 14 " "
85.	75	Intersect N. Boundary 48 lks. E. of post— Set post at intersection cor. of sec. 2 & 3 from which a Beech 10 in. dia. bears N 32 W 8 lks. dist.s, a Sugar 12 " " " S 46 E 4 " " Land 1.st rate, timber Ash, Walnut. June 30, 1821
		North between Sec.s 33 & 34
6.	95	a Beech 12 in. dia.
40.	00	Set g. sec. post, crossed Eagle Creek course SW from which a Sycamore 12 in. dia. bears S 10 W 36 lks. dist.s, a Cotton.d 18 " " " S 46 E 13 " "
51.	00	Same Stream course SE
72.	60	a Stream 10 lks. wide course W.
73.	00	an Elm 20 in. dia.
80.	00	Set post cor. of sec.s 27, 28, 33 & 34 from which a Sugar 18 in. dia. bears N 75 E 13 lks. dist.s, a Do 20 " " " S 22 E 17 " " Last half mile land 1.st rate.
		East on Random between Sec.s 27 & 34

T. 17 N., R. 2 E. 2d. Mer. Ind.

Chs.	Lks.	
34.	50	a Stream 10 lks. wide course S W
40.	00	set temp. qr. sec. post
80.	80	Intersect N. & S. line 30 lks. S. of post— Land 1st rate
		West Corrected between Secs. 27 & 34
40.	40	set qr. sec. post at aver. dist. from which a Sugar 14 in. dia. bears S 23 E 27 lks. dist. & a Do 10 " " " N 17 W 17 " "
80.	80	to sec. cor.
		North between Secs. 27 & 28
15.	60	a Beech 12 in. dia.
40.	00	set qr. sec. post from which a Beech 12 in. dia. bears N 16 E 13 lks. dist. & a Do 20 " " " S 40 E 10 " "
59.	20	a Sycamore 24 " "
61.	00	Eagle Creek course S W
80.	00	set post cor. of Secs. 21, 22, 27 & 28 from which a Buckeye 14 in. dia. bears N 16 E 10 lks. dist. & a Do 8 " " " S 19 E 22 " " Land first rate.
		East on Random between Secs. 22 & 27
26.	50	a Stream 50 lks. wide course S.
80.	81	Intersect N. & S. line 32 lks. N. of post— Land 1st rate
		West Corrected between Secs. 22 & 27
40.	40	set qr. sec. post at aver. dist. from which a Buckeye 10 in. dia. bears N 39 E 15 lks. dist. & a Hackberry 4 " " " South 15 " "
80.	81	to sec. cor.
		North between Secs. 21 & 22
10.	55	a Beech 10 in. dia.

Corrd

T. 17 N., R. 2 E. 2d. Mer. Indn.

Chs.	Lks.	
40.	00	Set g. sec. post from which
		a Lynn 7 in. dia. bears S 83 W 9 lks. dist. &
		a Hickory 7 " " " S 73 E 20 " "
51.	95	a W. Oak 36 " "
60.	00	a Stream 5 lks. wide course E.
80.	00	Set post cor. of Sec. 15, 16, 21 & 22 from which
		an Ash 18 in. dia. bears S 39 E 5 lks. dist. &
		a Buckeye 10 " " " N 52 W 19 " "
		(Description of land to be omitted)

East on Random between Sec. 15 & 22

40.	00	Set temp. g. sec. post
56.	00	a Stream 50 lks. wide course S.
80.	80	Intersect N. & S. line 40 lks. N. of post—
		Land 1st rate

West Corrected between Sec. 15 & 22

40.	40	Set g. sec. post at river. dist. from which
		a W. Walnut 20 in. dia. bears N 67 W 35 lks. dist. &
		a Buckeye 4 " " " S 65 E 5 " "
80.	80	to sec. cor.

North between Sec. 15 & 16

8.	00	a Stream 5 lks. wide course E.
19.	45	a W. Oak 30 in. dia.
40.	00	Set g. sec. post from which
		a Beech 7 in. dia. bears S 1 E 43 lks. dist. &
		a B. Oak 20 " " " N 7 W 24 " "
50.	90	an Elm 20 " "
51.	00	a Stream 10 lks. wide course SE
80.	00	Set post cor. of Sec. 9, 10, 15 & 16 from which
		an Ironwood 8 in. dia. bears N 66 W 8 lks. dist. &
		a Buckeye 7 " " " S 50 E 15 " "
		Land 2d rate, hilly & full of brush

East on Random between Sec. 10 & 15

T. 17 N., R. 2 E. 2d. Mer. Ind.a

Chs. Lks.

46.50 a Stream 5 lks. wide comes SE

69.50 a Do 50 " " " S

81.00 Intersect N. & S. line 40 lks. N. of post—
Land 2d. rate

West Corrected between Sec. 10 & 15

40.50 set g. sec. post at aver. dist. from which
a Buckeye 10 in. dia. bears North 43 lks. dist.
a Poplar 30 " " " S 35 W 6 " "

81.00 to sec. cor.

North between Sec. 9 & 10

27.35 a W. Oak 30 in. dia.

40.00 set g. sec. post from which
an Ash 12 in. dia. bears N 48 E 13 lks. dist.
a Beech 10 " " " S 62 E 19 " "

50.95 a W. Oak 30 " "

66.50 a Stream 5 lks. wide comes E.

80.00 set post cor. of sec. 3, 4, 9 & 10 from which
a Sugar 12 in. dia. bears S 55 E 10 lks. dist.
a Hickory 18 " " " N 87 W 15 " "
Land 2d. rate. July 2, 1821

Court on Random between Sec. 3 & 10

36.00 a Stream 10 lks. wide comes SE

40.00 set temp. g. sec. post

80.75 Intersect N. & S. line at post—
(Description of Land Omitted)

West Corrected between Sec. 3 & 10

40.37½ set g. sec. post at aver. dist. from which
a Sugar 10 in. dia. bears N 12 E 45 lks. dist.
an Ironwood 4 " " " S 36 W 47 " "

80.75 to sec. cor.

North between Sec. 3 & 4

T. 17 N., R. 2 E. 2d Mer. Ind.

Chs.	Lks.	
11.	50	a Sugar 16 in. dia.
40.	00	Set q. sec. post from which
		a Sugar 16 in. dia. bears N 28 W 8 lks. dist.
		an Ironwood 4 " " " S 5 E 18 " "
68.	80	a Beech 10 " "
85.	00	Intersect N. Boundary 25 8 lks. E. of post—
		Set post at intersection cen. of sec. 3 & 4 from which
		a Beech 10 in. dia. bears N 79 W 24 lks. dist.
		a Do 12 " " " N 47 E 24 " "
		Land T. 1st rate level. Timber Ash, Walnut,
		Beech &c.

North between Sec. 32 & 33

7.	00	an Ash 24 in. dia.
31.	50	a Stream 5 lks. wide course S.
40.	00	Set q. sec. post from which
		a Beech 14 in. dia. bears S 43 E 28 lks. dist.
		a Hickory 12 " " " N 30 E 18 " "
61.	50	a W. Oak 24 " "
80.	00	Set post cor. of sec. 28, 29, 32 & 33 from which
		a Sugar 10 in. dia. bears N 85 W 4 lks. dist.
		a Do 16 " " " East 17 " "
		Land hilly & 2d rate. Timber Ash, Oak, Sugar &c.

East on Random between Sec. 28 & 33

40.	00	Set temp. q. sec. post
43.	50	a Stream 50 lks. wide course S.
80.	00	Intersect N. & S. line 35 lks. N. of post—
		Land last half mile 1st rate, first half mile
		2d rate

West Corrected between Sec. 28 & 33

40.	00	Set q. sec. post at aver. dist. from which
		a Buckeye 14 in. dia. bears N 74 E 30 lks. dist.
		a Sugar 12 " " " N 65 W 29 " "
80.	00	to Sec. cor.

T. 17 N., R. 2 E. 2d. Mer. Ind.a

Chs. Lks.

North between Sec.s 28 & 29

20.50 a Stream 15 lks. wide runs E.

24.70 a W. Oak 30 in. dia.

40.00 Set g. sec. post from which
a Buckeye 5 in. dia. bears S 7 W 18 lks. dist. &
an Ash 18 " " " N 23 W 30 " "

65.22 a Beech 12 " "

80.00 Set post cor. of sec.s 20, 21, 28 & 29 from which
a Beech 12 in. dia. bears N 51 E 17 lks. dist. &
a W. Oak 14 " " " S 60 W 24 " "
Land 2d rate hilly. Timber Oak, Beech &c.

East on Random between Sec.s 21 & 28

40.00 Set temp. q. sec. post

41.00 a Stream 5 lks. wide runs SE

52.50 a Do 10 " " " NW

80.00 Intersect N. & S. line 20 lks. S. of post
Land hilly & 2d rate

West Corrected between Sec.s 21 & 28

40.00 Set q. sec. post at aver. dist. from which
a B. Walnut 30 in. dia. bears S 62 E 22 lks. dist. &
a Buckeye 6 " " " N 27 W 25 " "

80.00 to Sec. Cor.

North between Sec.s 20 & 21

20.10 a W. Oak 20 in. dia.

25.00 a Stream 15 lks. wide runs SW

35.00 same Stream " SE

40.00 Set q. sec. post from which
an Ash 10 in. dia. bears S 9 E 41 lks. dist. &
a B. Walnut 4 " " " N 11 E 49 " "

68.50 same Stream runs SW

80.00 Set post cor. of sec.s 16, 17, 20 & 21 from which
an Ash 10 in. dia. bears N 37 E 15 lks. dist. &
a Hickory 4 " " " S 5 E 10 " "

T. 17 N., R. 2 E. 2d Mer. Ind.

Ch. Lk.	
	Land very hilly & brushy 2d rate, Oak, Beech &c.
East	on Random between Sec. 16 & 21
11.00	a Stream 15 lks. wide comse S.
40.00	set temp. q. sec. post
79.80	Intersect N & S. line 45 lks. S. of post —
	Land hilly & 2d rate. Timber Beech, Oak &c.
West	Corrected between Sec. 16 & 21
39.90	set q. sec. post at aver. dist. from which
	a Sugar 10 in. dia. bears S 6 E 8 lks. dist.
	a B. Oak 30 " " " N 16 W 9 " "
79.80	to sec. cor.
North	between Sec. 16 & 17
4.00	a Stream 15 lks. wide comse SE
17.00	a Sugar 14 in. dia.
40.00	set q. sec. post from which
	an Ironwood 4 in. dia. bears S 49 W 3 lks. dist.
	a Dogwood 4 " " " N 10 E 5 " "
62.37	a W. Oak 24 " "
80.00	set post cor. of sec. 8, 9, 16 & 17 from which
	a Beech 8 in. dia. bears N 83 E 4 lks. dist.
	a Do 12 " " " N 80 W 28 " "
	Land very broken 2d rate. July 3. 1821
East	on Random between Sec. 9 & 16
40.00	set temp. q. sec. post
51.50	a Stream 5 lks. wide comse SE.
80.00	Intersect N & S. line 25 lks. N. of post —
	Land 2d rate.
West	Corrected between Sec. 9 & 16
40.00	set q. sec. post at aver. dist. from which
	a Beech 10 in. dia. bears S 20 E 20 lks. dist.
	a Sugar 8 " " " N 13 W 35 " "

T. 17 N., R. 2 E. 2d. Mer. Ind.a

Ch.	Lks.	
80.	00	to sec. cor.

North between Sec.s 8 & 9

12. 80 a W. Oak 36 in. dia.

40. 00 set g. sec. post from which
an Elm 12 in. dia. bears S 9 W 34 lks. dist.s
a Hickory 20 " " " N 52 W 15 " "

71. 50 a Hickory 18 " "

80. 00 set post cor. of sec.s 4, 5, 8 & 9 from which
a Beech 6 in. dia. bears N 41 E 10 lks. dist.s
a Walnut 4 " " " S 29 W 25 " "
Land 2d rate. Beech, Oak, Hickory &c.

East on Random between Sec.s 4 & 9

40. 00 set temp. g. sec. post

80. 16 Intersect N. & S. line 52 lks. N. of post
Beech, Oak, Hickory &c.

West Corrected between Sec.s 4 & 9

40. 08 set g. sec. post at aver. dist. from which
a Buckeye 12 in. dia. bears East 15 lks. dist.s
a Sugar 10 " " " N 6 W 44 " "

80. 16 to sec. cor.

North between Sec.s 4 & 5

8. 90 a Sugar 14 in. dia.

40. 00 set g. sec. post from which
a Sugar 12 in. dia. bears S 86 E 66 lks. dist.s
a Beech 12 " " " S 71 W 17 " "

64. 53 a B. Walnut 12 in. dia.

85. 00 Intersect N. Boundary 29 3 lks. E. of post
set post at intersection cor. of Sec.s 4 & 5 from which
a Sugar 20 in. dia. bears West 2 lks. dist.s
a Buckeye 6 " " " East 2 " "
Land 2d rate, timber Buckeye, B. Walnut,
Beech &c.

T. 17 N., R. 2 E. 2d Mer. Ind.

Chs. Lks.

North between Sec. 31 & 32

15.45 an Elm 30 in. dia.

40.00 Set g. sec. post from which
an Ironwood 8 in. dia. bears N 4 W 21 lks. dist.
a Do 8 " " " S 16 W 19 " "

60.70 a Hickory 14 " "

80.00 Set post cor. of Sec. 29 30, 31 & 32 from which
an Ash 6 in. dia. bears N 72 E 15 lks. dist.
an Elm 12 " " " S 62 W 17 " "
Sand level & 2d rate. Timber Beech, Elm
Hickory &c.

East on Random between Sec. 29 & 32

40.00 Set temp. q. sec. post

80.50 Intersect N. & S. line 66 lks. N. of post—
Sand 2d rate, timber Beech, Oak, Hickory

West Corrected between Sec. 29 & 32

40.25 Set g. sec. post at aver. dist. from which
a Beech 10 in. dia. bears N 37 W 36 lks. dist.
a Do 12 " " " S 7 E 34 " "

80.50 to sec. cor.

West between Sec. 30 & 31

40.00 Set g. sec. post from which
a Beech 8 in. dia. bears S 66 E 21 lks. dist.
a Sugar 14 " " " N 46 W 33 " "

81.37 Intersect W. Boundary 32 lks. N. of post—
Set post at intersection cor. of Sec. 30 & 31 from which
a W. Oak 30 in. dia. bears S 39 W 25 lks. dist.
a Beech 10 " " " N 33 E 17 " "
Sand flat & 2d rate.

North between Sec. 29 & 30

20.52 a W. Oak 36 in. dia.

40.00 Set g. sec. post from which

T. 17 N., R. 2 E. 2. Mer. Ind.a

Chs. Lks.	
	a Buckeye 6 in. dia. bears N 9 E 34 lks. dist.
	a Hornbeam 6 " " " S 8 E 27 " "
70.90	a Hickory 24 " "
80.00	Set post cor. of Sec. 19, 20, 29 & 30 from which
	a W. Oak 20 in. dia. bears North 25 lks. dist.
	a Beech 8 " " " S 16 W 10 " "
	Land 2d rate. July 4. 1821

East	on Random between Sec. 20 & 29
40.00	Set temp. q. sec. post
74.00	a Stream 25 lks. wide course S.
80.50	Intersect N. & S. line 7 lks. S. of post—
	Land very hilly & 2d rate

West	Corrected between Sec. 20 & 29
40.25	Set q. sec. post at aver. dist. from which
	a Beech 14 in. dia. bears N 38 W 10 lks. dist.
	a Sugar 12 " " " S 7 E 29 " "
80.50	to Sec. cor.

West	between Sec. 19 & 30
40.00	Set q. sec. post from which
	a Beech 10 in. dia. bears N 66 W 9 lks. dist.
	a Hickory 16 " " " N 68 E 14 " "
82.00	Intersect W. Boundary 25 lks. S. of post—
	Set post at intersection cor. of Sec. 19 & 30 from wh.
	an Elm 10 in. dia. bears N 40 W 25 lks. dist.
	a Hornbeam 6 " " " N 68 E 13 " "
	Land 2d rate flat, Beech, Elm, Oak &c.

North	between Sec. 19 & 20
14.50	a W. Oak 20 in. dia.
40.00	Set q. sec. post from which
	an Elm 14 in. dia. bears N 29 W 3 lks. dist.
	an Ash 4 " " " S 40 E 26 " "
74.90	a W. Oak 14 " "

T. 17 N., R. 2 E. 2d Mer. Ind.

Chs. Lks.

80.00 Set post cor. of sec. 17, 18, 19 & 20 from which
a Hickory 10 in. dia. bears S 82 W 11 lks. dist.
a Do 4 " " " S 77 E 5 " "
Land 2d rate, very brushy & flat

East on Random between Sec. 17 & 20

40.00 Set temp. q. sec. post

80.25 Intersect N. & S. line 20 lks. N. of post—
Land very hilly.

West Corrected between Sec. 17 & 20

40.12½ Set q. sec. post at aver. dist. from which
a B. Oak 24 in. dia. bears S 22 E 49 lks. dist.
a Beech 16 " " " N 22 W 7 " "

80.25 to sec. cor.

West between Sec. 18 & 19

40.00 Set q. sec. post from which
an Ash 4 in. dia. bears N 46 W 14 lks. dist.
a Do 7 " " " S 32 W 15 " "

82.75 Intersect W. Boundary 60 lks. S. of post—
Set post at intersection cor. of sec. 18 & 19 from wh.
an Ash 10 in. dia. bears N 49 W 5 lks. dist.
a W. Oak 30 " " " S 30 E 25 " "
Land flat & swampy 2d rate.

North between Sec. 17 & 18

34.50 a Sycamore 36 in. dia.

40.00 Set q. sec. post from which
an Elm 12 in. dia. bears N 21 W 22 lks. dist.
an Iron wd. 6 " " " S 30 W 8 " "

60.35 a W. Oak 40 " "

80.00 Set post cor. of sec. 7, 8, 17 & 18 from which
a Buckeye 4 in. dia. bears N 46 E 17 lks. dist.
a Sugar 12 " " " S 10 E 25 " "
Land level & 2d rate

T. 17 N., R. 2 E. 2d Mer. Ind.a

Chs. Chs.

East on Random between Sec.s 8 & 17

25.50 a Stream 25 lks. wide course S.

40.00 Set temp. q. sec. post

80.10 Intersect N. & S. line 20 lks. N. of post—
Land 2d rate. Beech, Oak, Hickory, Ash &c.

West Corrected between Sec.s 8 & 17

40.06 Set q. sec. post at diver. dist. from which
a Beech 14 ins. diam. bears S 5 W 18 lks. dist.s
a " 20 " " " N 39 E 42 " "

80.10 to sec. cor.

West between Sec.s 7 & 18

40.00 Set q. sec. post from which
a Hickory 6 ins. dia. bears S 62 W 8 lks. dist.s
an Elm 12 " " " N 11 E 25 " "

83.75 Intersect W. Boundary at post—
Land 2d rate. July 6. 1821

North between Sec.s 7 & 8

37.82 an Elm 14 ins. dia.

40.00 Set q. sec. post from which
a Sugar 12 ins. dia. bears N 2 E 6 lks. dist.s
a W. Oak 24 " " " S 29 W 6 " "

68.60 a B. Oak 18 " "

80.00 Set post cor. of sec.s 5, 6, 7 & 8 from which
a W. Oak 18 ins. dia. bears N 67 W 10 lks. dist.s
a Beech 20 " " " S 17 W 18 " "
Land 2d rate, Beech

East on Random between Sec.s 5 & 8

40.00 Set temp. q. sec. post

70.70 a Stream 25 lks. wide course S W

80.10 Intersect N. & S. line 2 lks. N. of post—
Land 2d rate broken, timber Beech, Oak,
Elm, Sugar &c.

T. 17 N., R. 2 E. 2d Mer. Ind.

Chs. Lks.

West Corrected between Sec. 5 & 8

40.05 Set q. sec. post at aver. dist. from which
a Dogwood 5 in. dia. bears S 44 E 32 lks. dist.
a Sugar 12 " " " N 25 W 22 " "

80.10 to sec. cor.

West between Sec. 6 & 7

40.00 Set q. sec. post from which
an Ash 4 in. dia. bears N 65 E 26 lks. dist.
a Hickory 14 " " " S 10 W 24 " "

84.75 Intersect W. Boundary 46 lks. S. of post—
Set post at intersection cor. of Sec. 6 & 7 from which
a Beech 8 in. dia. bears N 57 E 81 lks. dist.
a Hickory 10 " " " N 67 W 8 " "
Land 3d rate swampy & full of brush

North between Sec. 5 & 6

10.00 a Buckeye 10 in. dia.

40.00 Set q. sec. post from which
a Sugar 10 in. dia. bears S 48 E 17 lks. dist.
a Do 6 " " " N 10 E 23 " "

56.00 a Mulberry 14 " "

83.75 Intersect N. Boundary 390 lks. E. of post—
Set post at intersection cor. of Sec. 5 & 6 from which
a Sycamore 24 in. dia. bears South 13 lks. dist.
an Elm 12 " " " N 9 W 24 " "
Land 3d rate, swampy & full of brush.
Timber Ash, Elm, Sycamore &c.
July 7. 1821

W. B. Laughlin
Deputy Surveyor.

I certify that the foregoing transcript of Field Notes of the Survey of Township No. 17 North in Range No. 2 East of the 2d. Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor Generals Office,
Cincinnati, Nov. 1. 1844.

William Johnston
Sur. Genl.